

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PORBOX (1850; Alexandria Wriginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/997,121	11/28/2001	Peter Lee	276-001	3639
23429 75	590 06/03/2004		EXAMINER	
GREGORY SMITH & ASSOCIATES 3900 NEWPARK MALL ROAD, 3RD FLOOR			GELIN, JEAN ALLAND	
NEWARK, CA		JOR	ART UNIT	PAPER NUMBER
ŕ			2681	2
			DATE MAILED: 06/03/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	09/997,121	LEE, PETER			
Office Action Summary	Examiner	Art Unit			
	Jean A Gelin	2681			
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet w	ith the correspondence address			
A SHORTENED STATUTORY PERIOD FOR RITHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, If NO period for reply is specified above, the maximum statutory properties of the second of the specified above is less than thirty (30) days, and should be specified above, the maximum statutory properties of the second of the specified above is less than third the second of the specified above. The second of the specified above is less than the second of the specified above is less than the second of the specified above. The second of the specified above is less than the second of the specified above is less than the specified above. The specified above is less than the specified above is less than the specified above in the specified above. The specified above is less than the specified above is less than the specified above is less than thirty (30) days, and the specified above is less than thirty (30) days, and the specified above is less than thirty (30) days, and the specified above is less than thirty (30) days, and the specified above is less than thirty (30) days, and the specified above is less than thirty (30) days, and the specified above is less than thirty (30) days, and the specified above is less than th	ON. FR 1.136(a). In no event, however, may a n. a reply within the statutory minimum of thi eriod will apply and will expire SIX (6) MOi statute, cause the application to become A	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 2	28 November 2001.				
· · · · · · · · · · · · · · · · · · ·	This action is non-final.				
3) Since this application is in condition for all	owance except for formal mat	ters, prosecution as to the merits is			
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) 1-19 is/are pending in the application 4a) Of the above claim(s) is/are with 5) Claim(s) is/are allowed. 6) Claim(s) 1-19 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction a	ndrawn from consideration.				
Application Papers					
9) ☐ The specification is objected to by the Example 10) ☐ The drawing(s) filed on 28 November 2001 Applicant may not request that any objection to Replacement drawing sheet(s) including the control of the oath or declaration is objected to by the	is/are: a) accepted or b) the drawing(s) be held in abeya prrection is required if the drawing	nce. See 37 CFR 1.85(a). i(s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority document of the copies of the priority document of the copies of the priority document of the copies of the certified copies of the application from the International But * See the attached detailed Office action for a copies of the attached detailed Office action for a	nents have been received. nents have been received in A priority documents have beer rreau (PCT Rule 17.2(a)).	Application No received in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892)		Summary (PTO-413)			
 Notice of Draftsperson's Patent Drawing Review (PTO-9483) Information Disclosure Statement(s) (PTO-1449 or PTO/St Paper No(s)/Mail Date 	• —	s)/Mail Date nformal Patent Application (PTO-152) ·			

Art Unit: 2681

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (US 6,536,589) in view of Kurokawa et al. (US 5,927,673).

Regarding claims 1, 5, Chang teaches a cover for a personal computing device (i.e., protective housing for PDA, col. 1, lines 6-12), the cover comprising (figs. 3-6): a support portion (13) coupled to a support section (11), the support section configured to couple to a personal computing device for securing the computing device to the cover (col. 2, line 59 to col. 3, line 25); and a user interface portion coupled to the support portion, the user interface portion pivotable away from a user interface surface of a personal computing device secured to the cover to inhibit the cover from interfering with a user accessing the personal computing device (col. 2, line 59 to col. 3, line 46).

Chang does not specifically teach a stand section coupled to a support section and the stand section pivotable away from a computing device secured to the cover and retained in a fixed position relative to the computing device for supporting the computing device at an inclined angle relative to a support surface, when the cover is placed on the support surface.

Art Unit: 2681

However, the preceding limitation is known in the art of communications. Kurokawa teaches an adjustable viewing stand for use with handheld device; when a different viewing position is desired or the viewing stand is no longer needed (col. 2, lines 24-40). Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to implement the techniques of Kurokawa within the system of Chang in order that when the viewing is no longer needed, the viewing stand folds flat against the electronic device to maintain a narrow profile.

Regarding claims 2, 6, Chang in view of Kurokawa teaches all the limitations above. Chang further teaches wherein the support portion extends generally parallel to a back surface of a personal computing device secured to the cover and the user interface portion extends generally parallel to the user interface surface of the personal computing device when the cover is in a closed position to inhibit damage to the personal computing device (figs. 5 and 6, col. 3, lines 35-47).

Regarding claim 3, Chang in view of Kurokawa teaches all the limitations above. Kurokawa further teaches wherein the stand section is generally aligned with the support section when the cover is in the closed position (col. 3, lines 21-33).

Regarding claim 4, Chang in view of Kurokawa teaches all the limitations above.

Chang further teaches a locking apparatus coupled to one of the support portion and user interface portion to inhibit the cover opening inadvertently (col. 3, lines 15-24).

Regarding claim 7, Chang in view of Kurokawa teaches all the limitations above.

Kurokawa further teaches wherein the cover is altered from the closed position to a viewing position by pivoting the user interface portion away from the user interface

Art Unit: 2681

surface of the personal computing device coupled to the cover, the stand section then being pivoted away from the back surface of the computing device and toward the support section until the stand section forms a desired angular relationship with the computing device, to position the cover in 6 the viewing position, and whereby upon positioning the cover in the viewing position, the cover is placed on the support surface, such that the stand section supports the computing device at an inclined angle on the support surface to facilitate access to the user interface surface of the personal computing device (col. 3, line 21 to col. 5, line 38).

Regarding claim 8 Chang in view of Kurokawa teaches all the limitations above.

Chang further teaches a locking apparatus coupled to the stand section, the locking apparatus configured to couple the user interface portion to the support portion to inhibit the cover from opening inadvertently (col. 3, lines 15-24).

Regarding claim 9, Chang in view of Kurokawa teaches all the limitations above. Chang further teaches wherein the locking apparatus is further configured to abut the back surface of the personal computing device when the cover is positioned in a viewing position to aid with supporting the computing device (col. 3, lines 5-47).

3. Claims 10-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang (US 6,536,589) in view of Kurokawa et al. (US 5,927,673) further in view of Genest et al. (US 6,480,377).

Regarding claim 10, Chang in view of Kurokawa teaches all the limitations above except the support section further comprises a data connection located on an inner surface thereof, the data connection configured to couple to a data port of a personal

Art Unit: 2681

computing device to electronically couple the personal computing device to the data entry and manipulation device.

However, the preceding limitation is known in the art of communications. Genest teaches a protective case for a handheld computer comprises a computer attachment portion having a data transmitter adapted to transfer data to the computer processor of the handheld computer through the data port of the handheld computer (col. 5, lines 32-65). Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to implement the technique of Genest within the system of Chang in view of Kurokawa in order to transfer data to the computer processor through the data port.

Regarding to claim 11, the claim is interpreted and rejected for the same reasons as set forth in the rejection of claims 5 and 10.

Regarding claim 12, Chang in view of Kurokawa further in view of Genest teaches all the limitations above. Figs. 3-6 of Chang inherently teaches wherein the support section further comprises a support bracket located on an inner surface thereof, the support bracket configured to detachably secure a personal computing device to the cover, the support bracket housing a data connection configured to couple to a data port of a personal computing device (col. 2, line 59 to col. 3, line 65).

Regarding claim 13, Chang in view of Kurokawa further in view of Genest teaches all the limitations above. Kurokawa further teaches a hinge coupled to the support section and stand section for pivotably coupling the stand section to the support section, the hinge allowing the stand section to form different desired angular

Art Unit: 2681

relationships with the computing device and retaining the stand section in a desired angular relationship with the computing device (col. 3, line 21 to col. 4, line 62).

Regarding claim 14, Chang in view of Kurokawa further in view of Genest teaches all the limitations above. Chang further teaches a locking apparatus coupled to the stand section, the locking apparatus configured to detachably couple the user interface portion to the support portion to inhibit the cover from opening inadvertently, the locking apparatus configured to abut the back surface of the personal computing device when the cover is positioned in a viewing position to aid with supporting the computing device (col. 3, lines 5-42).

Regarding claim 15, Chang in view of Kurokawa further in view of Genest teaches all the limitations above. Chang further teaches wherein each the support portion and user interface portion has a height and a width substantially similar to a height and width of the personal computing device coupled to the cover (fig. 6).

Regarding claim 16, Chang in view of Kurokawa further in view of Genest teaches all the limitations above. Genest further teaches wherein the integrated data manipulation device is dimensioned to fit within the periphery of the interface portion (fig. 1).

Regarding claim 17, Chang in view of Kurokawa further in view of Genest teaches all the limitations above. Genest further teaches wherein the integrated data manipulation device is located on an inner surface of the user interface portion of the cover, the data manipulation device comprising a keyboard that includes at least one key that provides data entry and manipulation of data stored in the personal computing

Art Unit: 2681

device coupled to the cover, the s keyboard coupled to the data connection for coupling the keyboard to the personal computing device (col. 5, lines 32-65).

Regarding claims 18, 19, Chang in view of Kurokawa further in view of Genest teaches all the limitations above. Genest further teaches wherein the integrated keyboard comprises a membrane keyboard, and an alphanumeric keypad configured in a QWERTY configuration (col. 11, lines 7-65).

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Lim (US 6,539,580) teaches hinge assembly for a cover.

Moller et al. (US 5,555,157) teaches enclosure for electronic apparatus having a cover catch member.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean A Gelin whose telephone number is (703) 305-4847. The examiner can normally be reached on 9:00 AM to 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Erika A Gary can be reached on (703) 308-0123. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2681

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JGelin May 28, 2004 JEAN GELIN PATENT EXAMINER Year Alland Celin